

FIG. 1  
PRIOR ART




FIG. 2

### Strategy A profile

Contact name / ID	
<b>Delivery type</b> (= mobile phone 2G/ mobile phone 3G / SMS/ fax/ fixed phone/ IM w/ attachment/ IM with URL/ e-mail w/attachment/ e- mail with URL / same as input )	<b>Delivery address</b> (phone or fax number, e-mail, IM etc)

FIG. 3A

## Strategy B profile

Contact name / ID		
Delivery type (= mobile phone 2G/ mobile phone 3G / SMS/ fax/ fixed phone/ IM w/ attachment/ IM with URL/ e-mail w/attachment/ e- mail with URL / same as input )	Delivery address (phone or fax number, e-mail, IM etc)	Delivery time (= <b>working hours</b> )
Delivery type (= mobile phone 2G/ mobile phone 3G / SMS/ fax/ fixed phone/ IM w/ attachment/ IM with URL/ e-mail w/attachment/ e- mail with URL / same as input )	Delivery address (phone or fax number, e-mail, IM etc)	Delivery time (= <b>working days afterhours</b> )
Delivery type (= mobile phone 2G/ mobile phone 3G / SMS/ fax/ fixed phone/ IM w/ attachment/ IM with URL/ e-mail w/attachment/ e- mail with URL / same as input )	Delivery address (phone or fax number, e-mail, IM etc)	Delivery time (= <b>weekends</b> )

**FIG. 3B**

## Strategies C&D profile

Contact name / ID			
<b>Delivery type</b> (= <b>mobile phone 2G</b> or = <b>mobile phone 3G</b> )	mobile phone number	Delivery priority	
<b>Delivery type</b> (= <b>SMS</b> )	SMS Gateway Address	Delivery priority	
<b>Delivery type</b> (= <b>fixed phone</b> )	fixed phone number	Delivery priority	
<b>Delivery type</b> (= <b>fax</b> )	fax number	Delivery priority	
<b>Delivery type</b> (= <b>IM w/attachment</b> or = <b>IM with URL</b> )	IM provider	IM nickname	Delivery priority
<b>Delivery type</b> (= <b>e-mail w/ attachment</b> or = <b>e-mail with URL</b> )	e-mail Address	Delivery priority	
<b>Delivery type</b> (= <b>same as input</b> )	Default	Delivery priority	

**FIG. 3C**

**Strategy D current table**

Contact name / ID		
Last Delivery Type	Last Delivery Time	Last Delivery Address

**FIG. 3D**

## Priority delivery system configuration settings

Timeout before delivery retries	
Maximum retries of delivery cycles number	
Delivery type (= <b>mobile phone 2G</b> or = <b>mobile phone 3G</b> )	Expiration time (for strategy D)
Delivery type (= <b>SMS</b> )	Expiration time (for strategy D)
Delivery type (= <b>fixed phone</b> )	Expiration time (for strategy D)
Delivery type (= <b>fax</b> )	Expiration time (for strategy D)
Delivery type (= <b>IM w/attachment</b> or = <b>IM with URL</b> )	Expiration time (for strategy D)
Delivery type (= <b>e-mail w/ attachment</b> or = <b>e-mail with URL</b> )	Expiration time (for strategy D)
Delivery type (= <b>same as input</b> )	Expiration time (for strategy D)

FIG. 3E




FIG. 4





FIG. 5






FIG. 7